



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/863,503	05/23/2001	Hiroshi Akita	CSC-029	9374

959 7590 11/18/2003

LAHIVE & COCKFIELD  
28 STATE STREET  
BOSTON, MA 02109

EXAMINER
----------

ALEJANDRO, RAYMOND

ART UNIT	PAPER NUMBER
----------	--------------

1745

DATE MAILED: 11/18/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/863,503

Applicant(s)

AKITA, HIROSHI

Examiner

Raymond Alejandro

Art Unit

1745

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 31 October 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) 1-6 and 13-18 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 7-12 and 19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☒ The proposed drawing correction filed on 31 October 2003 is: a) ☒ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Response to Amendment***

In response to the amendment filed on 10/31/03, this office action remarks the following: the applicant has overcome the objections; however, the 35 USC 103 rejection is herein maintained for the reasons of record. Thus, the claims (including newly added claim 19) are finally rejected.

### ***Election/Restrictions***

1. This application contains claims 1-6 and 13-18 drawn to an invention nonelected without traverse in Paper No. 7. A complete reply to the final rejection must include cancelation of nonelected claims or other appropriate action.

### ***Drawings***

2. The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on 10/31/03 have been accepted. A proper drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The correction to the drawings will not be held in abeyance.

### ***Claim Rejections - 35 USC § 112***

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 1745

4. Claim 19 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

5. Claim 19 recites the limitation "said gas diffusion layer" in line 6. There is insufficient antecedent basis for this limitation in the claim.

***Claim Rejections - 35 USC § 103***

6. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

7. Claims 7-8, 10-11 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Suzuki 5346780 in view of Savinell et al 5525436.


The instant claims are directed to a fuel cell wherein the disclosed inventive concept comprises the specific membrane-equipped composite electrolyte. Other limitations include the liquid electrolyte and monomer unit; the cross-linking agent; and the polymer.

With respect to claim 7 and 19:

Suzuki discloses a fuel cell comprising a pair of gas-diffusion electrodes provided with a porous catalyst layer and an acidic electrolyte layer held by the pair of gas-diffusion electrodes (ABSTRACT). **Figure 1** below illustrates a phosphoric acid fuel cell including a cell unit comprising an electrolyte layer 1 which is a porous electrolyte-retaining member such as a porous substance retaining phosphoric acid ( $H_3PO_4$ ) as an acidic electrolyte (*the matrix impregnated with phosphoric acid*) (COL 4, lines 56-64). The electrolyte layer is held by a pair of gas-diffusion electrodes i.e. a cathode 2 and an anode 3 (COL 4, lines 56-64). The cathode is

Art Unit: 1745

composed of a gas feed layer 5 (it is noted that the gas feed layer serves as the gas diffusion layer) and a catalyst layer 6. The anode 3 is composed of a gas feed layer 8 (it is noted that the gas feed layer serves as the gas diffusion layer) and a catalyst layer 9 (COL 4, lines 64-68). It is also disclosed that the phosphoric acid ( $H_3PO_4$ ) is in liquid phase (COL 7, lines 62-63).

**FIG. 1**

**Examiner's note:** it is noted that the transitional phrase "composed of" (all occurrences) is construed as a open-ended phrase and therefore does not exclude other components.

With respect to claim 8 and 11:

Suzuki discloses that the electrolyte is phosphoric acid in liquid phase (COL 4, lines 56-64/ COL 7, lines 62-63).

Suzuki discloses a phosphoric acid fuel cell according to the foregoing. However, Suzuki does not disclose the electrolyte matrix having the surface coated with a cross-linked polymer membrane and the membrane composed of a basic polymer having a secondary amine monomer.

With respect to claim 7, 10 and 19:

Savinell et al disclose a proton conducting polymer used as membranes, the polymer being basic polymer complexed with a strong acid (ABSTRACT/ COL 2, lines 50-67). Savinell et al teach the use of such membranes in acid fuel cells. Savinell et al discloses the particular use of polybenzimidazole as a suitable polymer electrolyte membrane (ABSTRACT/ COL 2, lines

Art Unit: 1745

50-67). It is also disclosed that the polybenzimidazole is doped with a strong acid, such as phosphoric acid or sulfuric acid (COL 2, lines 63-67).

Savinell et al disclose that those polymers contemplated for use in his invention which demonstrate solubility in dilute acid may be made more stable by cross-linking in place in the film by any one of a number of known cross-linking techniques (COL 5, lines 45-50). *Thus, the protective membrane or coating is formed by cross-linking the polymer for constructing the matrix.*

**Examiner's note:** *in this regard, it is noted that applicant admits or discloses throughout his specification that the protective membrane is formed by cross-linking the polymer for constructing the matrix. Attention is directed to the following section of applicant's specification: 1) (applicant's specification, page 14, lines 19-24) "the protective membrane composed of cross-linked product can be easily formed by cross-linking the surface of the matrix"; 2) (applicant's specification, page 16, lines 10-12) "the protective membrane composed of crosslinked product is formed by cross-linking a surface portion of the polymer for constructing the matrix"; 3) (applicant's specification, page 19, lines 18-21) "the protective membrane-equipped composite electrolyte is constructed as having the protective membrane composed of cross-linked product on its surface"; 4) (applicant's specification, page 24, lines 9-15) "preparing a cross-linked product by cross-linking a surface portion of the polymer for constructing the matrix to form a protective membrane composed of cross-linked product"; 5) (applicant's specification, page 25, lines 20-27) "when the matrix is composed of the polymer, the protective membrane composed of cross-linked product can be conveniently formed with ease by reacting the matrix itself and the cross-linking agent with each other. As a result, the*

Art Unit: 1745

protective membrane-equipped composite electrolyte is obtained, in which the surface of the composite electrolyte is coated with the protective membrane composed of cross-linked product".

Thus, when the polymer acting as the electrolyte matrix is cross-linked, the protective membrane, coating or film is formed on the matrix surface.

With respect to claim 8 and 11:

Savinell et al discloses the particular use of polybenzimidazole as a suitable polymer electrolyte membrane (ABSTRACT/ COL 2, lines 50-67). *Thus, the membrane is composed of a basic polymer having a structural unit of monomer of secondary amine.* It is also disclosed that the polybenzimidazole is doped with a strong acid, such as phosphoric acid or sulfuric acid (COL 2, lines 63-67).

In view of the above, it would have been obvious to one skilled in the art at the time the invention was made to make the electrolyte matrix having the surface coated with a crosslinked polymer membrane of Savinell et al in the electrolyte matrix of Suzuki because Savinell et al disclose that those polymers contemplated for use as electrolyte matrix which demonstrate solubility in dilute acid may be made more stable by cross-linking in place in the film by any one of a number of known cross-linking techniques. Accordingly, Savinell et al directly teach the use of cross-linked polymers to enhance stability. Therefore, the protective membrane in the electrolyte matrix is obtained when the polymer acting as the electrolyte matrix is cross-linked as instantly claimed.

Art Unit: 1745

As to the membrane composed of a basic polymer having a secondary amine monomer, it would have been obvious to one skilled in the art at the time the invention was made to make the membrane composed of a basic polymer having a secondary amine monomer of Savinell et al in the electrolyte of Suzuki as Savinell et al teach that polybenzimidazole (a basic polymer having a secondary amine monomer) is of particular interest because it can be doped with a strong acid as well as because these polymers film exhibit excellent oxidative and thermal stability; these properties being further enhanced by the acid nature of the polymer. Further, it has been found that films comprising polymers containing basic groups that can form complexes with stable acids provide a viable alternative as proton exchange membrane matrix or medium, being polybenzimidazoles an example of a suitable polymer for this purpose. Moreover, these polymers require low water activity, thus avoiding operating temperature limits due to the boiling point of water; and showing capability to operate at elevated temperatures, thereby reducing the potential for anode/cathode poisoning. Further, these polymers do not suffer significantly from methanol cross-over because of low methanol swelling with methanol vapor and high glass transition temperatures. Hence, it provides a solid polymer to be used as an electrolyte matrix which is stable and retains reasonable ionic conductivity and does not suffer from known problems associated with catalyst stability and activity.

8. Claims 9 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Suzuki 5346780 in view of Savinell et al 5525436 as applied to claims 8 and 12 above, and further in view of the WO 00/44816 publication.



Art Unit: 1745

Suzuki and Savinell et al are applied, argued and incorporated herein for the reasons above. In addition, Suzuki and Savinell et al do not disclose the specific cross-linking agent containing two or more isocyanate groups.

With respect to claims 9 and 12:

The WO'816 publication discloses bridged polymers membrane for fuel cells (ABSTRACT) wherein the basic polymer may be polybenzimidazole (PAGE 3, lines 11-12) and the bridging agent (*the cross-linking agent*) has at least two isocyanate groups in the molecule thereof (PAGE 3, lines 5-6).

In view of the above, it would have been obvious to one skilled in the art at the time the invention was made to use the specific cross-linking agent containing two or more isocyanate groups of the WO'816 publication to cross-link the polymer electrolyte matrix of both Suzuki and Savinell et al as the WO'816 disclose that by bridging the basic polymer using the specified bridging agent in the shaped membrane the mechanical strength of the polymer electrolyte is improved. Thus, by employing the specified cross-linking agent and obtained a cross-linked product as part of the polymer electrolyte membrane, a polymer having a sufficient degree of mechanical strength is achieved, thereby reducing its swelling property when immersed in water or aqueous solution.

### ***Response to Arguments***

Applicant's arguments filed 10/31/03 have been fully considered but they are not persuasive. The main contention of applicant's argument is premised on the assertion that the prior art of record fails to suggest "the protective membrane-equipped composite electrolyte

Art Unit: 1745

having a surface coated with a crosslinked polymer membrane". In this respect, the examiner wishes to assert that applicant's argument are confusing, failing to clearly differentiate what applicant intends to claims as the invention. For instance, it is noted that the applicant first argues that the prior art does not teach "the protective membrane-equipped composite electrolyte having a surface coated with a crosslinked polymer membrane" (page 8, last full paragraph); then, applicant argues that the reference does not teach "that the electrolyte layer can include a surface coated with a crosslinked polymer membrane" (page 9, first full paragraph), what electrolyte layer?; then, it is argued that the prior art does not "teach using a crosslinked film to form a coating that coats a surface of an electrolyte" (page 9, third full paragraph); it is also argued that the reference does not teach "forming a coating on an outside surface of an electrolyte to prevent leakage" (page 9, fourth full paragraph); next, it is contended that "in the electrolyte of the fuel cell of the present invention, the entire surface of the matrix is typically coated"(*emphasis added*) (last full paragraph in page 9); followed by the argument that the reference does not teach "forming a coating on a matrix surface by deposition the crosslinkable polymer onto the matrix" (last full paragraph in page 11). In view of these arguments, it is asserted that applicant's position is ambiguous and vague with respect to the specific coating site, location or spot, because it remains unclear whether the coating is formed on: a) the matrix per se, b) the surface of the composite electrolyte as such; c) the matrix already impregnated with the liquid electrolyte for itself; d) the liquid electrolyte itself to merely prevent the leakage and elution thereof; e) the outside surface of the electrolyte surface, which one? i) the composite electrolyte as a whole, ii) the matrix as an individual component, or iii) the liquid electrolyte as another individual component; f) the entire surface of the matrix per se, which one is meant by the applicant? i) the

composite electrolyte as a whole, ii) the matrix as an individual component, or iii) the liquid electrolyte as another individual component. Moreover, most of the foregoing arguments are also not commensurate to the specific claim language.

Furthermore, the instant claims simply recite “a protective-equipped composite electrolyte which is composed of a matrix impregnated with a liquid electrolyte which has a surface coated with a crosslinked polymer membrane”. As interpreted by the examiner, the matrix has its surface coated with the crosslinked polymer membrane and therefore, (and as admitted by the applicants, see page 9, last paragraph continued in page 10) it is contended that “the Savinell et al reference teaches that crosslinking is present partially (in place) in the film”, thus, when the polymer acting as the electrolyte matrix is cross-linked, the protective membrane, coating or film is formed on the matrix surface. Having shown that the prior art of record does in fact makes known that the film is partially crosslinked thereon, those of ordinary skill in the art have sufficient sophistication to recognize that a coating may form on the electrolyte matrix per se due to the cross-linking process. Moreover, since applicant has also argued that the surface of the matrix is typically coated (last paragraph in page 9), it is further contended that the Savinell et al reference does teach or, at least, suggest to coat the electrolyte matrix, in any case, partially.

As to “the coating membrane which coats the electrolyte to prevent the leakage and elution of liquid electrolyte”, or “forming a coating on an outside surface of an electrolyte to prevent leakage”, or “the entire surface of the matrix is typically coated”, or “the protective membrane coating to prevent leakage”, it is further contended that the instant claim language is silent to any of these particularities, thus, the latitude of the arguments is not commensurate or proportionate to what applicant intends to claim as the invention.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, the references are relevant to each other as they both are directed to proton conducting polymers used as membranes in fuel cells.

In response to applicant's argument that there is no motivation to modify the teachings of Suzuki using the teachings of Savinell, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

***Conclusion***

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond Alejandro whose telephone number is (703) 306-3326. The examiner can normally be reached on Monday-Thursday (8:30 am - 7:00 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan can be reached on (703) 308-2383. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9310 for regular communications and (703) 872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

Application/Control Number: 09/863,503

Page 13

Art Unit: 1745

Raymond Alejandro  
Examiner  
Art Unit 1745

RECEIVED  
10/10/09  
1700

*[Handwritten signature]*